

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030200254"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:43
L4	1	1 and (thread and replac\$6).	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:43
L5	8104	(709/203).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/14 13:24
L6	4845	(709/219).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/14 13:24
L7	3526	(715/513).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/14 13:24
L8	605	(719/316).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/14 13:24
L9	38	(over adj rid\$3 over\$rid\$4) same (awt swing gui near2 api jtc jfc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:50
L10	38	(over adj rid\$3 over\$rid\$4) same (awt swing gui near2 api jtc jfc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L11	37	(over adj rid\$3 over\$rid\$4) same (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L12	18	deploy\$4 near2 (many multiple plurality) with (ejb bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L13	5	deploy\$4 near2 (many multiple plurality) with bean	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L14	104	exten\$4 with (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L15	598	over\$load\$3 with (awt swing gui near2 api)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L16	1	over\$load\$3 with (awt swing gui near2 api) and (graphical adj user gui)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L18	7	over\$writ\$3 with (awt swing gui near2 api)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24

EAST Search History

L20	7	over\$writ\$3 with (jtc awt swing gui near2 api)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L21	14	re\$implement\$3 with (awt swing gui)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:50
L22	82	replac\$3 same (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L23	32	replac\$3 with (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L24	32	replac\$3 with (awt swing gui near2 api) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L25	2	replac\$3 with (gui near2 api standard near2 graphical) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L26	30	replace with (awt swing gui near2 api) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L27	38	(over adj rid\$3 over\$rid\$4) same (awt swing gui near2 api jtc jfc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L28	14	L27 and view\$controller same server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
L29	16	replac\$3 same (awt swing gui near2 api jtc) and java and thread with event	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:49
L30	38	(exten\$4 replac\$3 overwrit\$3) same (awt swing gui near2 api jtc) and java and thread with event	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:49
L31	4	re\$implement\$3 with (awt swing gui) and thread\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:50

EAST Search History

L32	32	(over adj rid\$3 over\$rid\$4) same (awt swing gui near2 api jtc jfc) and java and thread	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:50
-----	----	--	--	----	----	------------------